

Sarnafil® T Prep

Seam preparation and cleaner for Sarnafil® T

Construction

Description	Mixture of organic solvents
Uses	Sarnafil® T Prep is used to prepare seams of Sarnafil® TG and TS in order to ensure optimum seam quality. Sarnafil® T Prep is also suitable as general purpose cleaner to remove light dirt or bitumen residue from Sarnafil® TG and TS.
Characteristics / Advantages	<ul style="list-style-type: none"> • Ensures optimum seam quality • Dissolves surface dirt • Evaporates quickly • Highly flammable
Tests	
Approvals / Standards	Quality management system EN ISO 9001
Product Data	
Form	
Consistency	Liquid
Colour	Yellow
Packaging	Canister: 5 l, 10 l Packing unit: Europallet or single canister
Storage	
Storage Conditions	Store in dry conditions at temperatures between +0 °C to +30 °C
Shelf-Life	24 months from date of production if stored properly in original, unopened and undamaged sealed container. Expiry date on container.
Technical Data	
Chemical Basis	Mixture of organic solvents
Density	0.87 kg/l (+20 °C)



**System
Information**

Limitations

Ambient Temperature	At least -20 °C
---------------------	-----------------

Substrate Temperature	At least -30 °C
-----------------------	-----------------

Limits	Avoid contact to materials that are not resistant to solvents.
--------	--

Application Guideline	Based on the valid installation instructions of the relevant roof waterproofing membrane.
------------------------------	---

Application Method	Prepare seam areas using a white clean cloth soaked with Sarnafil® T Prep. Allow Sarnafil® T Prep to evaporate completely before welding. During seam preparation or cleaning the cloths should be changed frequently to avoid the spreading of dirt.
---------------------------	---

Notes of Application / Limits	White cloths will effectively absorb dirt and the colour will not stain the membrane. Use solvent resistant gloves and eye protection glasses during application. Sarnafil® T Prep contains high volatile and flammable solvents. Application in closed rooms is allowed only with sufficient room ventilation. Smoking and open fire are not permitted.
--------------------------------------	---

Important Notification

The information, and, in particular, the recommendations relating to the application and end-use of Sika's products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The proprietary rights of third parties must be observed. All orders are accepted subject of our terms and conditions of sale. Users should always refer to the most recent issue of the Australian version of the Technical Data Sheet for the product concerned, copies of which will be supplied on request.

PLEASE CONSULT OUR TECHNICAL DEPARTMENT FOR FURTHER INFORMATION.

