

5. Fire-fighting measures

Suitable extinguishing media

- foam
- carbon dioxide
- dry powder
- water fog

Unsuitable extinguishing media for safety reasons

Not applicable.

Exposure hazard arising from the product, its combustion products or resulting gases

In the event of fire the following can be released:

- Carbon monoxide (CO)
- Carbondioxide (CO₂)
- Smoke and noxious fumes

Special protective equipment for fire-fighting

Self-contained breathing apparatus and protective clothing

Additional information

Fire residues and contaminated firefighting medium must be disposed of in accordance with the local regulations.

6. Accidental release measures

Personal precautions

Suitable protective clothing (overalls), gloves (rubber or PVC), eye protection.

Environmental precautions

In case of entry into waterways, soil or drains, inform the responsible authorities.

Procedures for cleaning up

Wipe up cloth containing Sika Colma Cleaner or absorb into sand or other inert absorbent material.

Collect and place into suitable labelled containers. Dispose of waste material as prescribed under heading "Disposal Considerations".

7. Handling and storage

Handling

Instructions for safe handling
See chapter 8 / Personal protective equipment.

Instructions for fire and explosion protection
Keep away from sources of ignition.

Storage

Keep container tightly closed in a cool, dry, well-ventilated place

Product name: **Sika® Multikit**

Date of printing: 09.04.2002

Page: 3/5

Revised: 09.04.2002

MSDS No.: 330

7. Handling and storage (continued)

Combined storage instructions

Keep away from food, beverages and animal feedstocks.

Additional information regarding storage

Protect from heat and direct sunlight.

8. Exposure controls/personal protection

Personal protective equipment

General protective and hygiene measures

Keep hands away from eyes when handling or before washing after use.

Ensure adequate ventilation or exhaust during use.

Do not eat, drink or smoke during work time.

Wash hands before breaks and after work.

Respiratory protection

Not normally required when used as directed.

Hand protection

Plastic or rubber gloves

Eye protection

Safety glasses / goggles.

Body protection

Suitable working clothes (overalls) and enclosed footwear.

9. Physical and chemical properties

Appearance

Physical state: coloured putty

Colour: white

Odour: low odour

Data relevant to safety

Flash point > 200 deg C

Method

TCC

Solubility in water negligible

Specific Gravity 1.9

10. Stability and reactivity

Conditions to avoid

High temperatures.

Sub-zero temperatures.

Sources of ignition.

Materials to avoid/dangerous reactions

None under specific use.

Product name: **Sika® Multikit**

Date of printing: 09.04.2002

Page: 4/5

Revised: 09.04.2002

MSDS No.: 330

10. Stability and reactivity (continued)

Hazardous polymerisation will not occur.

Thermal decomposition and hazardous decomposition products

May give rise to smoke and other noxious fume sin the event of a fire.

Combustion products may include oxides of carbon, sulphur, nitrogen, aldehydes and acids.

11. Toxicological information

Sensitization

Prolonged or repeated exposure may cause sensitiation.

LD50 (rat) > 5,000 mg/kg

Experience on humans

When skin contact:

May cause irritation.

When eyes contact:

May cause irritation.

When inhalation:

May lead to irritation.

When swallowed:

May cause health disorders.

12. Ecological information

Additional information

Product is slightly water polluting.

Do not allow to enter waste water drain, waterways or soil.

13. Disposal considerations

Further information

Dispose of waste or excess material in accordance with local regulations.

The cured product may be considered as inert, and disposed of as per non- hazardous waste.

Contaminated packaging should be disposed of as per hazardous waste.

14. Transport information

ADR/RID

Further information

No dangerous goods.

IMO/IMDG

Further information

No dangerous goods.

Product name: **Sika® Multikit**

Date of printing: 09.04.2002

Page: 5/5

Revised: 09.04.2002

MSDS No.: 330

14. Transport information (continued)

IATA/ICAO

Further information

No dangerous goods.

15. Regulatory information

Labelling according to EEC Directive

Xi Irritant

Contains Bisphenol A - Epoxy Resin.

R36/38 Irritating to eyes and skin

R43 May cause sensitisation by skin contact

S2 Keep out of reach of children

S28 After contact with skin, wash immediately with plenty of soap- suds

S37/39 Wear suitable gloves and eye/face protection

16. Other information

Nil.

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the Technical Data Sheet prior to any use and processing.