

# Safety Data Sheet

according to 91/155/EEC and ISO 11014-1  
(see instructions in Annex to 93/112/EC)

Date of printing: 30.08.2005

Page: 1/6

Revised: 30.08.2005

MSDS No.: 494

**NOT CLASSIFIED AS HAZARDOUS ACCORDING TO CRITERIA OF WORKSAFE AUSTRALIA**

## 1. Identification of the substance/preparation and company

Product

Product name

**Sika Paver WP**

Manufacturer/supplier information

Manufacturer/supplier:

Sika Australia Pty Ltd

Street/postbox:

55 Elizabeth Street

Town/City and Post Code:

WETHERILL PARK N.S.W.

Country:

AUSTRALIA

Phone:

(02) 9725 1145 (AUS)

Telefax:

(02) 9725 3330 (AUS)

General information:

Operations Manager

Emergency information phone:

1 800 033 111 (AUS)

## 2. Hazards identification

Hazards identification

See chapter 11 and 12

## 2. Composition/information on ingredients

Chemical characterization

Water thinnable siloxane

## 4. First-aid measures

General instructions

In any case show the physician the Material Safety Data Sheet

After inhalation

If symptoms persist, seek medical assistance.

After skin contact

Wash with plenty of soap and water. If symptoms persist, seek medical assistance.

Product name: **Sika Paver WP**

Date of printing: 22.04.2003

Page: 2/6

Revised: 30.08.2005

MSDS No.: 494

#### 4. First-aid measures (continued)

After eye contact

In case of contact with eyes, rinse immediately for at least 15 minutes with plenty of water. Summon a doctor immediately.

After ingestion

Do not induce vomiting.

Seek immediate medical assistance.

#### 5. Fire-fighting measures

Suitable extinguishing media

Compatible with all usual extinguishing media.

Exposure hazard arising from the product, its combustion products or resulting gases

In the event of fire the following can be released:

Carbon monoxide (CO)

Carbon dioxide (CO<sub>2</sub>)

Nitrogen oxide (NO<sub>x</sub>)

Additional information

Fire residues and contaminated firefighting medium must be disposed of in accordance with the local regulations.

Collect contaminated firefighting water separately. It must not be discharged to the drain.

#### 6. Accidental release measures

Personal precautions

Ensure adequate ventilation.

Use personal protective clothing.

Use breathing apparatus if exposed to vapours/dust/aerosol.

Environmental precautions

Do not allow to enter drains or waterways.

In case of entry into waterways, soil or drains inform the responsible authorities.

Procedures for cleaning up

Pick up with absorbent material (eg. Sand, sawdust, general purpose binder).

When picked up, treat material as prescribed under heading "Disposal".

#### 7. Handling and storage

Handling

Instructions for safe handling

See chapter 8 / "Personal protective equipment".

Instructions for fire and explosion protection

Not applicable.

## 7. Handling and storage (continued)

### Storage

Requirements for storage rooms and containers

Keep container tightly closed in a cool, dry, well-ventilated place.

Combined storage instructions

Keep away from food, beverages and animal feedstocks.

Additional information regarding storage

Protect from frost.

Protect from heat and direct sunlight.

Protect from atmospheric moisture and water.

## 8. Exposure controls/personal protection

### Personal protective equipment

General protective and hygiene measures

Take care for sufficient ventilation or exhaust at the workshop.

Avoid contact with eyes and skin.

Use barrier skin creams.

Remove soiled or soaked clothing immediately.

Do not eat, drink or smoke during work time.

Wash hands before breaks and after work.

Respiratory protection

Not normally required when used as directed.

Hand protection

Butyl rubber/nitrile rubber gloves.

Eye protection

Safety glasses.

Body protection

Suitable working clothes (overalls) and enclosed footwear.

## 9. Physical and chemical properties

### Appearance

Physical state: liquid

Colour: white

Odour: characteristic

### Data relevant to safety

### Method

Density @ 20°C approx. 1.00g/cm<sup>3</sup>

pH value @ 20°C approx. 8.6

Product name: **Sika Paver WP**

Date of printing: 22.12.03

Page: 4/6

Revised: 30.08.2005

MSDS No.494

## 10. Stability and reactivity

Materials to avoid/dangerous reactions

No hazardous reaction when stored and handled according to prescribed instructions.

Thermal decomposition and hazardous decomposition products

No decomposition if used as prescribed.

## 11. Toxicological information

Experience on humans

When skin contact:

May cause irritation.

When eyes contact:

May cause irritation.

When inhaled:

May lead to irritation.

When swallowed:

May cause health disorders.

Product name: **Sika Paver WP**  
Date of printing: 30.08.2005

Page: 5/6

Revised: 30.08.2005

MSDS No.: 494

## 12. Ecological information

Additional information

Do not allow to enter waste water drains, waterways or soil.

## 13. Disposal considerations

Product

Recommendations

Must be disposed of in a special waste disposal unit in accordance with the corresponding regulations.

See chapter 15, national regulations.

Packaging

Recommendations

Completely emptied packaging can be given for recycling.

Packaging containing remains of the product can be disposed as product waste according to the local regulations.

## 14. Transport information

ADG/ADR/RID

Further information  
No dangerous goods.

IMO/IMDG

Further information  
No dangerous goods.

IATA/ICAO

Further information  
No dangerous goods.

## 15. Regulatory information

Labelling according to EEC Directive

The product does not require a hazard warning label in accordance with EC directives/the relevant national laws.

National regulations

Not water polluting.

Product name: **Sika Paver WP**

Date of printing: 30.08.2005

Page: 6/6

Revised: 30.08.2005

MSDS No.: 494

**16. Other information**

asterisk (\*) on left margin marks modification of previous version.

Recommended use: Chemical product for construction and industry.

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the Technical Data Sheet prior to any use and processing.