



# Safety Data Sheet

According to NOHSC:2011(2003)

Version: 1.0

Page: 1 of 4

Revised: 3 June 2006

MSDS No: 511

## NOT CLASSIFIED AS HAZARDOUS ACCORDING TO NOHSC CRITERIA

### 1. Identification of the substance/preparation and company

Product:

#### Sikasil SG-500 Part A

Recommended use:

Sealant

Manufacturer/supplier information:

Manufacturer/supplier:

Sika Australia Pty Ltd

Street/postbox:

55 Elizabeth Street

Town/city and Post Code:

WETHERILL PARK NSW 2164

Country:

AUSTRALIA

Phone:

(02) 9725 1145

Fax:

(02) 9725 3330

General information

Operations Manager

Emergency information phone:

1800 033 111

### 2. Composition/information on ingredients

Chemical characterization:

Polysiloxane

Hazardous ingredients:

Ingredient

CAS No

Concentration

-

-

-

### 3. Hazard identification

Hazard Category:

Risk Phrase(s):

Safety Phrase(s):

### 4. First-aid measures

Inhalation:

Remove victim from exposure - avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist.

Skin contact:

If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Consult a doctor if skin irritation persists.

Eye contact:

If in eyes wash out immediately with water. In all cases of eye contamination it is a sensible precaution to seek medical advice.

Ingestion:

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 131 126, New Zealand 0800 764 766). Rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water to drink. Never give anything by the mouth to an unconscious patient. If vomiting occurs give further water. Seek medical advice.

Notes to physician:

Treat symptomatically.



# Safety Data Sheet

According to NOHSC:2011(2003)

Version: 1.0

Page: 2 of 4

Revised: 3 June 2006

MSDS No: 511

## 5. Fire-fighting measures

### Specific hazards:

Combustible material. In the event of fire carbon monoxide, carbon dioxide and nitrogen oxides can be released.

### Special protective precautions and equipment:

Combustible. On burning may emit toxic fumes. Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of combustion.

### Suitable extinguishing media:

Water spray, foam, dry agent (carbon dioxide, dry chemical powder).

## 6. Accidental release measures

### Small Spills:

Wear protective equipment to prevent skin and eye contamination. Avoid inhalation of vapours. Wipe up with absorbent paper towel. Collect and seal in properly labelled containers or drums for disposal.

### Large spills:

Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contamination and the inhalation of vapours. Work up wind or increase ventilation. Contain - prevent run off into drains and waterways. Use absorbent (soil, sand or other inert material). Collect and seal in properly labelled containers or drums for disposal. If contamination of sewers or waterways has occurred advise local emergency services.

## 7. Handling and storage

### Handling:

Avoid eye contact and repeated or prolonged skin contact.

### Storage:

Store in a cool, dry, well-ventilated place. Protect from frost, heat, direct sunlight, and moisture. Keep containers closed when not in use - check regularly for leaks.

## 8. Exposure controls/personal protection

### National occupational exposure limits:

No value assigned for this specific material by the NOHSC Australia.

### Biological Limit Values:

As per the "National Model Regulations for the Control of Workplace Hazardous Substances [NOHSC: 1005 (1994)]" the ingredients in this material do not have a Biological Limit Allocated.

### Engineering measures:

Natural ventilation should be adequate under normal use conditions.

### Personal protection equipment:

OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES.

Wear overalls, safety glasses and impervious gloves. Due to variations in glove construction and local conditions, the user should make an assessment of the appropriate gloves to use. Wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

## 9. Physical and chemical properties



# Safety Data Sheet

According to NOHSC:2011(2003)

Version: 1.0

Page: 3 of 4

Revised: 3 June 2006

MSDS No: 511

## Appearance:

Physical state: paste  
Colour: cream  
Odour: odourless

## Data relevant to safety:

Solubility:	insoluble in water
Specific Gravity (20 °C):	approx 1.39
Relative Vapour Density (air=1):	N Av
Vapour Pressure (20 °C):	N Av
Flash Point (°C):	>244°C
Flammability Limits (%):	N App
Autoignition Temperature (°C):	N App
Melting Point/Range (°C):	N App
Boiling Point/Range (°C):	N av
pH (20 °C):	N av
Viscosity (20 °C):	N av.

(Typical values only - consult specification sheet)

N Av = Not available

N App = Not applicable

## 10. Stability and reactivity

### Chemical stability:

This material is thermally stable when stored and used as directed.

### Conditions to avoid:

Elevated temperatures.

### Incompatible Materials:

No information available

### Hazardous decomposition products:

Oxides of carbon and nitrogen, smoke and other toxic fumes.

### Hazardous reactions:

No information available.

## 11. Toxicological information

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

### Acute Effects:

Inhalation: Material may be irritant to mucous membranes and respiratory tract.

Skin contact: Contact with skin may result in irritation.

Eye contact: May be an eye irritant.

Ingestion: Swallowing can result in nausea, vomiting and irritation of the gastrointestinal tract.

### Long Term Effects:

No information available for product.

### Acute toxicity / Chronic toxicity:

No LD50 data available for the product.

## 12. Ecological information



# Safety Data Sheet

According to NOHSC:2011(2003)

Version: 1.0

Page: 4 of 4

Revised: 3 June 2006

MSDS No: 511

Avoid contaminating waterways.

Ecotoxicity:

No information available.

Persistence and degradability:

No information available.

Mobility:

No information available.

### 13. Disposal considerations

Refer to State/Territory Land Waste Management Authority.

### 14. Transport information

ADG/ADR/RID

Not classified as Dangerous Goods by the criteria of the ADG Code.

IMDG

Not classified as Dangerous Goods by the criteria of the IMDG Code for transport by sea.

IATA

Not classified as Dangerous Goods by the criteria of the IATA Dangerous Goods Regulations for transport by air.

### 15. Regulatory information

Poisons Schedule (Aust):

Not applicable.

All the constituents of this material are listed on the Australian Inventory of Chemical Substances (AICS).

### 16. Other information

This Material Safety Data Sheet has been prepared by Chemical Data Services Pty Ltd on behalf of its client.

Reason(s) For Issue: Revised

Material Safety Data Sheets are updated frequently. Please ensure that you have a current copy. MSDS may be obtained from the following website: [www.sika.com.au](http://www.sika.com.au)

The information contained in this Safety Date Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the Technical Data Sheet prior to any use and processing.



# Safety Data Sheet

According to NOHSC:2011(2003)

Version: 1.0

Page: 1 of 4

Revised: 3 June 2006

MSDS No: 512

## CLASSIFIED AS HAZARDOUS ACCORDING TO NOHSC CRITERIA

### 1. Identification of the substance/preparation and company

Product:

#### Sikasil SG-500 Part B

Recommended use:

Sealant

Manufacturer/supplier information:

Manufacturer/supplier:

Sika Australia Pty Ltd

Street/postbox:

55 Elizabeth Street

Town/city and Post Code:

WETHERILL PARK NSW 2164

Country:

AUSTRALIA

Phone:

(02) 9725 1145

Fax:

(02) 9725 3330

General information

Operations Manager

Emergency information phone:

1800 033 111

### 2. Composition/information on ingredients

Chemical characterization:

Polysiloxane

Hazardous ingredients:

Ingredient

CAS No

Concentration

1,2-Bis(triethoxysilyl) ethane

16068-37-4

30-60%

N-[3-(Triethoxysilyl)propyl]ethyldiamin

5098-72-5

1-10%

### 3. Hazard identification

Hazard Category:

Xn Harmful

Risk Phrase(s):

21/22 Harmful in contact with skin and if swallowed.

36/38 Irritating to eyes and skin.

Safety Phrase(s):

36/37 Wear suitable protective clothing and gloves.

### 4. First-aid measures

Inhalation:

Remove victim from exposure - avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist.

Skin contact:

If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Consult a doctor if skin irritation persists.

Eye contact:

If in eyes wash out immediately with water. In all cases of eye contamination it is a sensible precaution to seek medical advice.



# Safety Data Sheet

According to NOHSC:2011(2003)

2

Version: 1.0

Page: 2 of 4

Revised: 3 June 2006

MSDS No: 512

## 4. First-aid measures continued

### Ingestion:

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 131 126, New Zealand 0800 764 766). Rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water to drink. Never give anything by the mouth to an unconscious patient. If vomiting occurs give further water. Seek medical advice.

### Notes to physician:

Treat symptomatically.

## 5. Fire-fighting measures

### Specific hazards:

Combustible material. In the event of fire carbon monoxide, carbon dioxide and nitrogen oxides can be released.

### Special protective precautions and equipment:

Combustible. On burning may emit toxic fumes. Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of combustion.

### Suitable extinguishing media:

Water spray, foam, dry agent (carbon dioxide, dry chemical powder).

## 6. Accidental release measures

### Small Spills:

Wear protective equipment to prevent skin and eye contamination. Avoid inhalation of vapours. Wipe up with absorbent paper towel. Collect and seal in properly labelled containers or drums for disposal.

### Large spills:

Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contamination and the inhalation of vapours. Work up wind or increase ventilation. Contain - prevent run off into drains and waterways. Use absorbent (soil, sand or other inert material). Collect and seal in properly labelled containers or drums for disposal. If contamination of sewers or waterways has occurred advise local emergency services.

## 7. Handling and storage

### Handling:

Avoid eye contact and repeated or prolonged skin contact.

### Storage:

Store in a cool, dry, well-ventilated place. Protect from frost, heat, direct sunlight, and moisture. Keep containers closed when not in use - check regularly for leaks.

## 8. Exposure controls/personal protection

### National occupational exposure limits:

No value assigned for this specific material by the NOHSC Australia.

### Biological Limit Values:

As per the "National Model Regulations for the Control of Workplace Hazardous Substances [NOHSC: 1005 (1994)]" the ingredients in this material do not have a Biological Limit Allocated.

### Engineering measures:

Natural ventilation should be adequate under normal use conditions.

:



# Safety Data Sheet

According to NOHSC:2011(2003)

3

Version: 1.0

Page: 3 of 4

Revised: 3 June 2006

MSDS No: 512

## 8. Exposure controls/personal protection continued

Personal protection equipment:

OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES.

Wear overalls, safety glasses and impervious gloves. Due to variations in glove construction and local conditions, the user should make an assessment of the appropriate gloves to use. Wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

## 9. Physical and chemical properties

Appearance:

Physical state: paste  
Colour: black  
Odour: slightly perceptible

Data relevant to safety:

Solubility:	insoluble in water
Specific Gravity (20 °C):	approx 1.08
Relative Vapour Density (air=1):	N Av
Vapour Pressure (20 °C):	N Av
Flash Point (°C):	87 °C
Flammability Limits (%):	N App
Autoignition Temperature (°C):	N App
Melting Point/Range (°C):	N App
Boiling Point/Range (°C):	N av
pH (20 °C):	N av
Viscosity (20 °C):	N av.

(Typical values only - consult specification sheet)

N Av = Not available

N App = Not applicable

## 10. Stability and reactivity

Chemical stability:

This material is thermally stable when stored and used as directed.

Conditions to avoid:

Elevated temperatures.

Incompatible Materials:

No information available

Hazardous decomposition products:

Oxides of carbon and nitrogen, smoke and other toxic fumes.

Hazardous reactions:

No information available.

## 11. Toxicological information

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Acute Effects:

Inhalation: Material may be irritant to mucous membranes and respiratory tract.

Skin contact: Contact with skin may result in irritation.



# Safety Data Sheet

According to NOHSC:2011(2003)

4

Version: 1.0

Revised: 3 June 2006

Page: 4 of 4

MSDS No: 512

## 11. Toxicological information continued

Eye contact: May be an eye irritant.

Ingestion: Swallowing can result in nausea, vomiting and irritation of the gastrointestinal tract.

Long Term Effects:

No information available for product.

Acute toxicity / Chronic toxicity:

No LD50 data available for the product.

## 12. Ecological information

Avoid contaminating waterways.

Ecotoxicity:

No information available.

Persistence and degradability:

No information available.

Mobility:

No information available.

## 13. Disposal considerations

Refer to State/Territory Land Waste Management Authority.

## 14. Transport information

ADG/ADR/RID

Not classified as Dangerous Goods by the criteria of the ADG Code.

IMDG

Not classified as Dangerous Goods by the criteria of the IMDG Code for transport by sea.

IATA

Not classified as Dangerous Goods by the criteria of the IATA Dangerous Goods Regulations for transport by air.

## 15. Regulatory information

Poisons Schedule (Aust):

Not applicable.

All the constituents of this material are listed on the Australian Inventory of Chemical Substances (AICS).

## 16. Other information

This Material Safety Data Sheet has been prepared by Chemical Data Services Pty Ltd on behalf of its client.

Reason(s) For Issue: Revised

Material Safety Data Sheets are updated frequently. Please ensure that you have a current copy. MSDS may be obtained from the following website: [www.sika.com.au](http://www.sika.com.au)

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the Technical Data Sheet prior to any use and processing.