

# Safety Data Sheet

according to 91/155/EEC and ISO 11014-1

Page 1/6

Revised: 24.02.2010

SDS No.: 503

NOT CLASSIFIED AS HAZARDOUS ACCORDING TO CRITERIA OF WORKSAFE AUSTRALIA

## 1. Identification of the substance/preparation and company

Product

Product name

**SikaLevel® Primer**

Manufacturer/supplier information

Manufacturer/supplier:

Sika Australia Pty Ltd

Street/postbox:

55 Elizabeth Street

Town/City and Post Code:

Wetherill Park NSW 2164

Country:

Australia

Phone:

(02) 9725 1145

Telefax:

(02) 9725 3330

General information

Operations Manager

Emergency information phone:

1800 033 111 (24 hours)

## 2. Composition/information on ingredients

Chemical characterization

Acrylic emulsion

## 3. Hazards identification

Hazards identification

See chapter 11 and 12.

## 4. First-aid measures

General instructions

In any case show the physician the Safety Data Sheet

Remove soiled or soaked clothing immediately.

After inhalation

Provide fresh air. In the event of symptoms take medical treatment.

After skin contact

In case of contact with skin wash off immediately with soap and water.

Consult a doctor if skin irritation persists.

After eye contact

In case of contact with the eyes, rinse immediately for at least 15 minutes with plenty of water.

If symptoms persist seek medical assistance.

4. First-aid measures (continued)

After ingestion

Do not induce vomiting. Rinse mouth with water.  
Summon a doctor immediately.

**5. Fire-fighting measures**

Suitable extinguishing media

Foam, water mist, dry powder, carbon dioxide

Exposure hazard arising from the product, its combustion products or resulting gases

In the event of fire the following can be released:

Carbon monoxide (CO)

Carbon dioxide (CO<sub>2</sub>)

Nitrogen oxides (NO<sub>x</sub>)

Decomposition may yield acrylic monomers

Special protective equipment for fire-fighting

Use breathing apparatus.

Additional information

Fire residues and contaminated firefighting medium must be disposed of in accordance with the local regulations.

Collect contaminated firefighting water separately, must not be discharged into the drains.

**6. Accidental release measures**

Personal precautions

Ensure adequate ventilation.

Use personal protective clothing.

Use breathing apparatus if exposed to vapours.

Environmental precautions

Do not allow to enter drains or waterways

In case of entry into waterways, soil or drains, inform the responsible authorities.

Procedures for cleaning up

Pick up with absorbent material (e.g. sand, sawdust).

When picked up, treat material as prescribed under heading "Disposal".

**7. Handling and storage**

Handling

Instructions for safe handling

See chapter 8 / Personal protective equipment.

Storage

Requirements for storage rooms and containers

Keep container tightly closed and dry in a cool, well-ventilated place.

Combined storage instructions

Keep away from food, beverages and animal feedstocks.

**8. Exposure controls/personal protection**

Substances having workplace related exposure values/limits which may require monitoring for assessment purposes

Designation of substance

CAS No.

Type

Ref./Country/Year

Nil.

Personal protective equipment

General protective and hygiene measures

Take care for sufficient ventilation or exhaust on the workshop place.

Avoid contact with eyes and skin.

Use barrier skin cream.

Remove soiled or soaked clothing immediately.

Do not eat, drink or smoke during work time.

Wash hands before breaks and after work.

Respiratory protection

Not applicable under normal conditions.

When mist occurs during spraying use disposable half mask dust/mist respirator.

Hand protection

Butyl rubber/nitrile rubber gloves

Eye protection

Tightly fitting safety glasses

Body protection

Working clothes

**9. Physical and chemical properties**

Appearance

Physical state: Liquid  
Colour: White  
Odour: characteristic, mild

Data relevant to safety

Flash point N/A  
Density at °C ca. 1.03 g/cm<sup>3</sup>  
Solubility in water soluble  
pH value 8-9

**10. Stability and reactivity**

Materials to avoid/dangerous reactions

No hazardous reactions when stored and handled according to prescribed instructions.

Thermal decomposition and hazardous decomposition products

No decomposition if used as prescribed.  
Avoid temperatures above 177°C/350°F as decomposition can occur.

**11. Toxicological information**

Experience on humans

When skin contact:  
Irritating to skin.  
No skin irritation observed.  
When eyes contact:  
Irritating to eyes.  
When inhalation:  
May cause irritation.  
When swallowed:  
May cause irritation.

**12. Ecological information**

Additional information

Do not allow to enter waste water drains, waterways or soil.

**13. Disposal considerations**

Product

Recommendations

Must be disposed of in a special waste disposal unit in accordance with the corresponding regulations.  
See chapter 15, national regulations.

13. Disposal considerations (continued)

Packaging

Recommendations

Completely emptied packaging can be given for recycling.

Packaging that cannot be cleaned should be disposed of as product waste.

**14. Transport information**

ADG/ADR/RID

Further information

No dangerous goods.

IMO/IMDG

Further information

No dangerous goods.

IATA/ICAO

Further information

No dangerous goods.

**15. Regulatory information**

Labeling according to EEC Directive

The product is classified and labeled in accordance with EC directives/the relevant national laws.

Relevant hazardous ingredients.

Danger symbols

Nil.

R phrases

Nil

S phrases

Nil

Product name: **SikaLevel® Primer**

Page: 6/6

Revised: 16.01.2006

SDS No.: 503

15. Regulatory information (cont)

National regulations

Toxicity law (CH)

Toxicity class N/A

Water hazardous class (WGK)

N/A

Brandklasse (CH)

N/A

Not Scheduled (SUSDP - Australia)

**16. Other information**

asterisk (\*) on left margin marks modification of previous version

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the Technical Data Sheet prior to any use and processing.