

Safety Data Sheet

according to 91/155/EEC and ISO 11014-1

(see instructions in Annex to 93/112/EC)

Date of printing: 17.06.2002

Page: 1/5

Revised: 30.09.2003

MSDS No. : 489

NOT CLASSIFIED AS HAZARDOUS ACCORDING TO THE CRITERIA OF WORKSAFE AUSTRALIA

1. Identification of the substance/preparation and company

Product

Product name

SikaColl 4300FD

Manufacturer/supplier information

Manufacturer/supplier:

Sika Australia Pty. Ltd.

Street/postbox:

55 Elizabeth Street

Town/City and Post Code:

Wetherill Park, NSW 2164

Country:

Australia

Phone:

(02) 9725 1145 (AUS)

Telefax:

(02) 9725 3330 (AUS)

General information

Operations Manager

Emergency information phone

1800 033 111

2. Composition/information on ingredients

Chemical characterization

Acrylic based`contact adhesive

3. Hazards identification

Hazards identification

Non hazardous

4. First-aid measures

General instructions

In any case show the physician the Safety Data Sheet

After inhalation

Provide plenty of fresh air. In the event of symptoms take medical treatment.

After skin contact

In case of contact with skin remove contaminated clothing and wash skin immediately with soap and water.

Consult a doctor if skin irritation persists.

After eye contact

In case of contact with the eyes, rinse immediately for at least 15 minutes with plenty of water.

After ingestion

Seek medical treatment.

Product name: **SikaColl 4300FD**

Date of printing: 17.06.2002

Page: 2/5

Revised: 30.09.2003

MSDS No. : 489

5. Fire-fighting measures

Suitable extinguishing media

Use fire fighting measures that suit the environment.

Unsuitable extinguishing media for safety reasons

Water with full water jet.

Exposure hazard arising from the product, its combustion products or resulting gases

Formation of toxic gasses is possible during heating or in case of fire.

6. Accidental release measures

Personal precautions

Ensure adequate ventilation.

Use personal protective clothing.

Use breathing apparatus if exposed to vapours

Measures for environmental protection

Absorb with liquid binding material (sand, dolomite, acid binders, universal binders, sawdust)

Dispose contaminated material as waste according to local regulations.

7. Handling and storage

Handling

Instructions for safe handling

See chapter 8 / Personal protective equipment.

Instructions for fire and explosion protection

No special measures required.

Storage

Requirements to be met by storerooms and containers

No special measures required.

Combined storage instructions

Keep away from food, beverages and animal feedstocks.

Additional information regarding storage

Protect from frost.

8. Exposure controls/personal protection

Substances having workplace related exposure values/limits which may require monitoring for assessment purposes

None

Personal protective equipment

General protective and hygiene measures

Take care for sufficient ventilation or exhaust on the workshop place.

Avoid contact with eyes and skin

Use barrier skin cream.

Remove soiled or soaked clothing immediately.

Do not eat, drink or smoke during work time.

Wash hands before breaks and after work.

9. Physical and Chemical Properties

Form: liquid

Colour: white

Odour: characteristic

Flash point: > 250 °C

Boiling point 100 °C

Density @ 20°C 1.00g/cm³

Solubility fully soluble in water

pH 7.0

Viscosity @ 20°C 18000 mPas

Solvent content(water) 45%

Solids content 55%

Product name

SikaColl 4300FD

Date of printing: 17.06.2002

Page: 4/5

Revised: 30.09.2003

MSDS No. : 489

10. Stability and reactivity

Conditions to avoid

No decomposition if used as prescribed.

Incompatible materials

No dangerous reactions known.

Thermal decomposition and hazardous decomposition products

None.

11. Toxicological information

Experience on humans

When skin contact:

No irritant effects.

When eyes contact:

No irritant effects.

Sensitization:

No sensitizing effect known.

12. Ecological information

Additional information

Do not allow to enter waste water drain, waterways or soil.

13. Disposal considerations

Product

Recommendations

Must be disposed of in a special waste disposal unit in accordance with the corresponding regulations.

See chapter 15, national regulations.

Packaging

Recommendations

Completely emptied packagings can be given for recycling.

Packaging that cannot be cleaned should be disposed of as product waste.

Recommended cleaning agent

Water if necessary with cleaning agent.

14. Transport information

ADG/ADR/RID

Further information

No dangerous goods.

Product name: **SikaColl 4300FD**

Date of printing: 30.06.2002

Page: 5/5

Revised: 30.09.2003

MSDS No. : 489

14. Transport information (continued)

IMO/IMDG

Not a marine pollutant.

Further information.

No dangerous goods.

IATA/ICAO

UN N/A Class: N/A Packing group: N/A

Further information

No Dangerous Goods.

15. Regulatory information

Labelling according to EEC Directive

The product is classified and labelled in accordance with

EC directives/the relevant national laws.

Relevant hazardous ingredients for labelling

None

16. Other information

asterisk (*) on left margin marks modification of previous version.

Recommended use: Chemical product for construction and industry.

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the Technical Data Sheet prior to any use and processing.

