

Safety Data Sheet

according to 91/155/EEC and ISO 11014-1

(see instructions in Annex to 93/112/EC)

Date of printing: 08.03.2004

Page: 1/5

Revised: 08.09.2005

SDS No.: 472

NOT CLASIFIED AS HAZARDOUS ACCORDING TO THE CRITERIA OF WORKSAFE AUSTRALIA

1. Identification of the substance/preparation and company

Product

Product name

SikaForce®-7710 L100

Manufacturer/supplier information

Manufacturer/supplier:

Sika Australia Pty Ltd

Street/postbox:

55 Elizabeth Street

Town/City and Post Code:

Wetherill Park NSW 2164

Country:

Australia

Phone:

(02) 9725 1145

Telefax:

(02) 9725 3330

Emergency information phone:

1800 033 111 (24 hours)

2. Composition/information on ingredients

Chemical characterization

Modified polyol

3. Hazards identification

See chapter 11 and 12

4. First-aid measures

General instructions

In any case show the physician the Safety Data Sheet

After inhalation

Ensure supply of fresh air.

In the event of symptoms take medical treatment.

After skin contact

In case of contact with skin wash off immediately with soap and water

Consult a doctor if skin irritation persists.

After eye contact

In case of contact with the eyes, rinse immediately for at least 15 minutes with plenty of water.

Seek medical treatment.

After ingestion

Do not induce vomiting.

Summon a doctor immediately.

5. Fire-fighting measures

Suitable extinguishing media

Compatible with all usual extinguishing media.

Unsuitable extinguishing media for safety reasons

Not applicable.

Exposure hazard arising from the product, its combustion products or resulting gases

In the event of fire the following can be released:

Carbon monoxide (CO)

Carbon dioxide (CO₂)

Nitrogen oxides (NO_x)

Additional information

Fire residues and contaminated firefighting medium must be disposed of in accordance with the local regulations.

Collect contaminated firefighting water separately, must not be discharged into the drains.

6. Accidental release measures

Personal precautions

Ensure adequate ventilation.

Use personal protective clothing.

Use breathing apparatus if exposed to vapours/dust/aerosol.

Environmental precautions

Do not allow to enter drains or waterways

Do not allow to enter into the subsoil/soil.

In case of entry into waterways, soil or drains, inform the responsible authorities.

Procedures for cleaning up

Pick up with absorbent material.(eg. Sand, sawdust, general purpose binder).

When picked up, treat material as prescribed under heading "Disposal".

7. Handling and storage

Handling

Instructions for safe handling

See chapter 8 / Personal protective equipment.

Instructions for fire and explosion protection

Not applicable.

Storage

Requirements for storage rooms and containers

Keep container tightly closed and dry in a cool, well-ventilated place.

Product name: **SikaForce® 7710 L100**

Date of printing: 08.03.2004

Page: 3/5

Revised: 08.09.2005

SDS No.: 472

7. Handling and storage (continued)

Combined storage instructions

Keep away from food, beverages and animal feedstocks.

Additional information regarding storage

Protect from frost.

Protect from heat and direct sunlight

Protect from atmospheric moisture and water

8. Exposure controls/personal protection

Personal protective equipment

General protective and hygiene measures

Take care for sufficient ventilation or exhaust at the work place.

Avoid contact with eyes and skin.

Use barrier cream.

Do not eat, drink or smoke during work time.

Remove soiled or soaked clothing immediately.

Wash hands before breaks and after work.

Respiratory protection

Not applicable

Hand protection

Butyl rubber/nitrile rubber gloves

Eye protection

Safety glasses

Body protection

Working clothes

9. Physical and chemical properties

Appearance

Physical state: liquid

Colour: beige

Data relevant to safety

Method

Flash point 101 °C

Density at 20°C 1.68 g/cm³

Solubility in water insoluble

Viscosity at 25°C approx. 45000 mPas

10. Stability and reactivity

Materials to avoid/dangerous reactions

No hazardous reactions when stored and handled according to prescribed instructions.

Product name: **SikaForce® 7710 L100**

Date of printing: 08.03.2004

Page: 4/5

Revised: 08.09.2005

SDS No.: 472

10. Stability and reactivity (continued)

Thermal decomposition and hazardous decomposition products
No decomposition if used as prescribed.

11. Toxicological information

Experience on humans

When skin contact:

May cause irritant effect.

When eyes contact:

May cause irritant effect.

When inhalation:

May cause irritation.

When swallowed:

May cause health disorders.

12. Ecological information

Additional information

Do not allow to enter waste water drain, waterways or soil.

13. Disposal considerations

Product

Packaging

Recommendations

Completely emptied packaging can be given for recycling.

Packaging that cannot be cleaned should be disposed of as product waste

14. Transport information

ADG/ADR/RID

Further information

No dangerous goods.

IMO/IMDG

Not a marine pollutant.

Further information

No dangerous goods.

IATA/ICAO

UN N/A Class: N/A Packing group: N/A

Further information

Non dangerous goods.

Product name: **SikaForce® 7710 L100**

Date of printing: 08.03.2004

Page: 5/5

Revised: 08.09.2005

SDS No.: 472

15. Regulatory information

Labelling according to EEC Directive

The product is classified and labelled in accordance with EC directives/the relevant national laws.

Danger symbols

N/A

R phrases

Nil

S phrases

Nil

National regulations

Toxicity law (CH)

Toxicity class N/A SFOPH T No.: N/A

Water hazardous class (WGK)

N/A

Brandklasse (CH)

N/A

Not Scheduled (SUSDP - Australia)

16. Other information

asterisk (*) on left margin marks modification of previous version.

Recommended use: Chemical product for construction and industry.

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the technical data sheet prior to use and processing.