

Safety Data Sheet

according to 91/155/EEC and ISO 11014-1
(see instructions in Annex to 93/112/EC)

Date of printing: 16-09-2002

Page: 1/5

Revised

MSDS Ref No: 374

HAZARDOUS ACCORDING TO THE CRITERIA OF WORKSAFE AUSTRALIA

1. Identification of the substance/preparation and company

Product

Product name
SikaLastomer 711

Recommended use

Sealants and adhesives

Manufacturer/supplier information

Manufacturer/supplier:	SIKA Australia Pty Ltd
Street/postbox:	55 Elizabeth Street
Town/City and Post Code:	WETHERILL PARK N.S.W.
Country:	AUSTRALIA
Phone:	(02) 9725 1145 (AUS)
Telefax:	(02) 9725 3330 (AUS)
General information:	Operations Manager

Emergency information phone:

1 800 033 111 (AUS)

2. Composition/information on ingredients

Chemical characterization

Butyl rubber filled

Hazardous ingredients

Designation according to 67/548/EEC

CAS No.	Concentration	Danger symbols	R phrases
---------	---------------	----------------	-----------

· Solvent naphtha (petroleum), medium aliph.			
64742-88-7	1 - 10 %	Xn,N	10,65,51/53

3. Hazards identification

Information on hazards to man and to the environment

R10 Flammable.

4. First-aid measures

General instructions

In any case show the physician the Safety Data Sheet

After inhalation

Ensure supply of fresh air.
In the event of symptoms take medical treatment.

After skin contact

In case of contact with skin wash off immediately with soap and water

Product name: **SikaLastomer 711**

Date of printing: 16-09-2002

Page: 2/5

Revised:

MSDS Ref No.: 374

4. First-aid measures (continued)

After eye contact

In case of contact with the eyes, rinse immediately for at least 15 minutes with plenty of water.
Summon a doctor immediately.

After ingestion

Do not induce vomiting.
Summon a doctor immediately.

5. Fire-fighting measures

Suitable extinguishing media

carbon dioxide
foam
water mist

Unsuitable extinguishing media for safety reasons

Full water jet

Exposure hazard arising from the product, its combustion products or resulting gases

In the event of fire the following can be released:

Carbon monoxide (CO)
Carbondioxide (CO₂)

Additional information

Cool containers with water spray jet.
Fire residues and contaminated firefighting medium must be disposed of in accordance with the local regulations.

6. Accidental release measures

Personal precautions

Ensure adequate ventilation.

Environmental precautions

In case of entry into waterways, soil or drains,
inform the responsible authorities.

Procedures for cleaning up

Pick up mechanically
When picked up, treat material as prescribed under heading "Disposal".

Product name: **SikaLastomer 711**

Date of printing: 16-09-2002

Page: 3/5

Revised:

MSDS Ref No.: 374

7. Handling and storage

Handling

Instructions for safe handling

Provide good ventilation of working area (local exhaust ventilation if necessary).

Storage

Requirements for storage rooms and containers

Keep container tightly closed and dry in a cool, well-ventilated place

8. Exposure controls/personal protection

Additional information for the design of engineering measures

See chapter7; no measures exceeding the ones mentioned are necessary.

Personal protective equipment

General protective and hygiene measures

Do not inhale vapours

Respiratory protection

In case of insufficient ventilation.

Hand protection

Rubber gloves

Eye protection

Safety glasses

Body protection

Working clothes

9. Physical and chemical properties

Appearance

Physical state: Pasty

Colour: Black

Odour: Solvent-like

Data relevant to safety

Flash point not applicable

Density at 23°C 1.3 - 1.4 g/cm³

Solubility in water insoluble

pH value at 20°C not applicable

Viscosity at 23°C not applicable

Product name: **SikaLastomer 711**

Date of printing: 16-09-2002

Page: 4/5

Revised:

MSDS Ref No.: 374

10. Stability and reactivity

Conditions to avoid

To avoid thermal decomposition do not overheat.

Materials to avoid/dangerous reactions

Hazardous reactions possible with:
Oxidizers

Thermal decomposition and hazardous decomposition products

Carbon monoxide and carbon dioxide

11. Toxicological information

Experience on humans

When skin contact:

May cause irritation.

When inhalation:

Small amount may cause considerable health disorders.

12. Ecological information

Additional information

Do not allow to enter waste water drain, waterways or soil.

Once cured, the product will unlikely have any adverse effect on the environment.

13. Disposal considerations

Product

Recommendations

Dispose of in accordance with local authority regulations

Contaminated packaging

Recommendations

Completely emptied packagings can be given for recycling.

14. Transport information

ADG/ADR/RID

Further information

No dangerous good.

IMO/IMDG

Further information

No dangerous good.

Product name: **SikaLastomer 711**

Date of printing: 16-09-2002

Page: 5/5

Revised:

MSDS Ref No.: 374

14. Transport information (continued)

IATA/ICAO

Further information

No dangerous good.

15. Regulatory information

Labelling according to EEC directive

The product is classified and labelled in accordance with
EC directives/the relevant national laws.

R phrases

10 Flammable.

S phrases

51 Use only in well-ventilated areas.

16. Other information

asterisk (*) on left margin marks modification of previous version.

The information contained in this Safety Data Sheet respects the actual status of knowledge at the date of publication. They do not imply any warranty. For warranty obligations the specific product descriptions and the General Sales Conditions are of relevance only.