



Safety Data Sheet

According to NOHSC:2011(2003)

Version: 1.0

Page: 1 of 1

Revised: 07-Nov-07

MSDS No: 374

CLASSIFIED AS HAZARDOUS ACCORDING TO NOHSC CRITERIA

1. Identification of the substance/preparation and company

Product:

Sikalastomer 711

Recommended use:

Sealant and adhesive.

Manufacturer/supplier information:

Manufacturer/supplier:

Sika Australia Pty Ltd

Street/postbox:

55 Elizabeth Street

Town/city and Post Code:

WETHERILL PARK NSW 2164

Country:

AUSTRALIA

Phone:

(02) 9725 1145

Fax:

(02) 9725 3330

General information

Operations Manager

Emergency information phone:

1800 033 111

2. Composition/information on ingredients

Chemical characterization:

Modified polybutylene

Hazardous ingredients:

Ingredient

CAS No

Concentration

Solvent naphtha (petroleum) medium aliphatic

64742-88-7

1-10%

3. Hazard identification

Hazard Category:

Xi Irritant

Risk Phrase(s):

R10

Flammable

R36/38:

Irritating to eyes and skin.

Safety Phrase(s):

S51

Use in well ventilated areas.

S36/37/39:

Wear suitable protective clothing, gloves and eye/face protection.

4. First-aid measures

Inhalation:

Move victim to fresh air. In the event of symptoms seek medical attention..

Skin contact:

If skin or hair contact occurs, remove contaminated clothing and wash with soap and water for 15 minutes. If irritation persists seek medical attention.

Eye contact:

If in eyes, hold eyelids apart and flush the eyes continuously with warm water for 15 minutes and seek medical attention.



Safety Data Sheet

According to NOHSC:2011(2003)

Version: 1.0

Page: 2 of 1

Revised: 07-Nov-07

MSDS No: 374

Ingestion:

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 131 126, New Zealand 0800 764 766). Rinse mouth with water. If swallowed, do NOT induce vomiting.

Notes to physician:

Treat symptomatically.

5. Fire-fighting measures

Specific hazards:

In the event of fire oxides of carbon and nitrogen can be released.

Special protective precautions and equipment:

On burning may emit toxic fumes. Fire fighters to wear self-contained breathing apparatus and suitable protective clothing. Irritating or toxic gases may be present during a fire.

Suitable extinguishing media:

If material is involved in a fire use carbon dioxide, dry chemical, foam and water spray.

6. Accidental release measures

Spills:

Eliminate all ignition sources. Ventilate the area. Wear protective equipment to prevent skin and eye contamination. Pick up material mechanically. Do not allow material to enter waterways.

7. Handling and storage

Handling:

Avoid skin and eye contact.

Storage:

Store in a , dry, well-ventilated place and out of direct moisture. Keep containers closed when not in use - check regularly for leaks.

8. Exposure controls/personal protection

National occupational exposure limits:

No value assigned for this specific material by the NOHSC Australia.

Biological Limit Values:

As per the "National Model Regulations for the Control of Workplace Hazardous Substances [NOHSC: 1005 (1994)]" the ingredients in this material do not have a Biological Limit Allocated.

Engineering measures:

Ensure ventilation is adequate to maintain air concentrations below Exposure Standards. Natural ventilation should be adequate under normal use conditions.

Personal protection equipment:

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES.

Wear overalls, chemical goggles and impervious gloves. Due to variations in glove construction and local conditions, the user should make an assessment of the appropriate gloves to use. Wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using. If risk of inhalation of exists, wear organic vapour/particulate respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.



Safety Data Sheet

According to NOHSC:2011(2003)

Version: 1.0

Page: 3 of 3

Revised: 07-Nov-07

MSDS No: 374

9. Physical and chemical properties

Appearance:

Physical state: Paste
Colour: Black
Odour: Slight aromatic odour

Data relevant to safety:

Solubility: Insoluble in water.
Density(20 °C): 1.3-1.4 Kg/L

(Typical values only - consult specification sheet)

10. Stability and reactivity

Chemical stability:

This material is thermally stable when stored and used as directed.

Conditions to avoid:

Avoid all possible sources of ignition.

Hazardous decomposition products:

Oxides of carbon.

Hazardous reactions:

No information available

11. Toxicological information

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Acute Effects:

Skin contact: May cause irritation.

Eye contact: May cause irritation.

Ingestion:

Small amounts may cause considerable health disorders.

Long Term Effects:

No information available for product.

Acute toxicity / Chronic toxicity:

No LD50 data available for the product.

12. Ecological information

Avoid contaminating waterways.

Ecotoxicity:

No information available.

Persistence and degradability:

No information available.

Mobility:

No information available.



Safety Data Sheet

According to NOHSC:2011(2003)

Version: 1.0

Page: 4 of 3

Revised: 07-Nov-07

MSDS No: 374

13. Disposal considerations

Refer to State/Territory Land Waste Management Authority.

14. Transport information

ADG/ADR/RID

Not classified as Dangerous Goods by the criteria of the ADG Code.

IMDG

Not classified as Dangerous Goods by the criteria of the IMDG Code for transport by sea.

IATA

Not classified as Dangerous Goods by the criteria of the IATA Dangerous Goods Regulations for transport by air.

15. Regulatory information

Poisons Schedule (Aust):

Not scheduled.

16. Other information

Reason(s) For Issue: Revised

Material Safety Data Sheets are updated frequently. Please ensure that you have a current copy. MSDS may be obtained from the following website: www.sika.com.au

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the Technical Data Sheet prior to any use and processing.